
DOUBLE FOLDED CARD HOLDER




PRINT TEST:

Please make sure you have printed this document to 100% scale. Measure the square(s) below to verify printing was correct.



INSTRUCTIONS:

- 1. Print out on 110LB or heavier card stock paper.
- 2. You will have to connect PANEL A and PANEL B together to create one template. Cut along the dashed line and tape together at the "scissors" icon.
- 2. Trace the pattern pieces on to your leather (grain side). Mark stitching holes (if applicable).
- 3. Cut out the leather pieces starting with outside perimeter. After cutting out, move to the inside of the INTERIOR PANEL and cut that section out.
- 4. Burnish the curved lip section of both sides of the card holder. Also, burnish the inside of the INTERIOR PANEL that you cut out in the previous step.
- 5. Align the INTERIOR PANEL at the center. INTERIOR PANEL is grain side up. EXTERIOR PANEL is flesh side up. Test alignment.
- 6. Glue the INTERIOR PANEL in place at top and bottom tabs.
- 7. Fold each card slot over and glue in place.
- 8. Mark your stitching line on top and bottom.
- 9. Punch your holes and sew.
- 10. Sand, bevel, and burnish the edges to your preference.



Note: This PDF is for printing only and cannot be edited. If you would like the source file for editing or laser cutting, please visit: https://shop.makesupply-leather.com/collections/laser-cutting-ready-leather-templates

